



The V-th International Symposium
Creativity. Technology. Marketing

CREATIVITY TECHNOLOGY MARKETING

PROCEEDINGS

31 March 2023
Chişinău



CREATIVITATE TEHNOLOGIE MARKETING



CTM 2023

**AL V-lea SIMPOZION INTERNAȚIONAL
31 martie, Chișinău, Republica Moldova**

Universitatea Tehnică a Moldovei
Facultatea de Design
Str. Acad. Sergiu Rădăuțanu 4

Chișinău 2023

COMITETUL ȘTIINȚIFIC AL EVENIMENTULUI

Viorel BOSTAN, dr. hab., prof. univ., Rector al Universității Tehnice a Moldovei, președinte.

Carmen Maria LOGHIN, dr.hab., prof. univ., Prorector al Universității Tehnice „Gh. Asachi” Iași, Romania.

Antonela CURTEZA, dr.hab., prof. univ., Universitatea Tehnică „Gh. Asachi” Iași, Romania

Alexandra Gabriela ENE, dr.ing., Director general al Institutului Național de Cercetare Dezvoltare Textile Pielărie, București, Romania.

Savin Dorin IONESI, dr.ing., conf. univ., Decan Facultatea Design Industrial și Managementul Afacerilor, Universitatea Tehnică „Gh. Asachi” Iași, Romania.

Kalina PASHEVICH, dr. hab., prof.univ., Șef catedră Arta și Designul Costumului, Facultatea de Design, Universitatea Națională de Tehnologii și Design din Kiev, Ucraina.

Natalia OSTAPENCO, dr.hab., prof.univ., Șef catedră Modelarea și Proiectarea Confecțiilor, Facultatea de Arte și Modă, Universitatea Națională de Tehnologii și Design din Kiev, Ucraina.

Adrian STOLERIU, dr., conf. univ., Decan Facultatea Arte Vizuale și Design, Universitatea Națională de Arte „George Enescu” Iași, Romania.

Sergiu TRONCIU, dr., conf. univ., Decan al Facultății de Design, Universitatea Tehnică a Moldovei.

Angela SCRIPCENCO, dr., conf. univ., departamentul Design și Tehnologii în Textile, Universitatea Tehnică a Moldovei.

Marcela IROVAN, dr., conf. univ., Șefă de departament Design și Tehnologii în Textile, Universitatea Tehnică a Moldovei.

Valeriu POBORSCHI, conf.univ., Șef de departamentul Design Industrial și de Produs, Universitatea Tehnică a Moldovei

COMITETUL ORGANIZATORIC AL EVENIMENTULUI

Sergiu TRONCIU, dr., conf. univ., decan al FD, UTM.

Angela SCRIPCENCO, dr., conf. univ., coordonator pentru Cercetare Inovare la FD, UTM.

Valentina BULGARU, dr., conf. univ., departamentul DTT, FD, UTM.

Angela GHELBET, dr., conf. univ., departamentul DTT, FD, UTM.

Svetlana CANGAS, dr., conf. univ., departamentul DTT, FD, UTM.

Jana CÎRJA, dr., conf. univ., departamentul DTT, FD, UTM.

Ana Maria CÎRJA, asist. univ., departamentul DIP, FD, UTM.

Olga SUGAC, dr., conf. univ., șefă de program TDCT, departamentul DTT, FD, UTM.

Alina TOCARCIUC, asist. univ., șefă de program DVI, departamentul DTT, FD, UTM.

Viorica CAZAC, dr., conf. univ., șefă de program DTP, departamentul DIP, FD, UTM.

Cristina EFREMOV, lect. univ., dr., prodecană pentru activitatea didactică FD, UTM.

Larisa CAPBATUT, asist. univ., departamentul DIP, FD, UTM.

Ludmila ZASTAVNICHİ-ȘEREMET, asist. univ., departamentul DTT, FD, UTM.

Lucia ADASCALIȚA, asist. univ., departamentul DIP, FD, UTM.

Nadejda CIOBANU, inginer superior, departamentul DTT, FD, UTM.

Mariana COLOCARU, asist. univ., departamentul DTT, FD, UTM.

CZU 082=135.1=111
C 84

Materialele conferinței în format electronic sunt plasate pe site-ul:
<https://fd.utm.md/evenimente/>

Responsabilitatea pentru exactitatea expunerii, corectitudinea datelor, cifrelor, citatelor, referințelor este integral a autorilor articolelor.

Redactor responsabil: Angela Scripcenco

Procesarea computerizată: Svetlana Cangaș
Coperta: Ana-Maria Cîrja

DESCRIEREA CIP A CAMEREI NAȚIONALE A CĂRȚII

„Creativitate. Tehnologie. Marketing.”, simpozion internațional (5;2023; Chișinău). Creativitate. Tehnologie. Marketing. CTM 2023 : Al V-lea Simpozion Internațional, 31 martie. Chișinău/ Comitetul științific: Viorel Bostan (președinte) [et al.].
- Chișinău: Tehnica-UTM, 2023. - 327 p.: fig., tab.
Antetit.: Universitatea Tehnică a Moldovei, Facultatea de Design. –
Texte, rez.: lb.rom, engl. – Referințe bibliograf. la sfârșitul art. – 50 ex.

Bun de tipar 09.11.23

Comanda nr. 111

MD-2004, Chișinău, bd. Ștefan cel Mare și Sfânt, 168, UTM
MD-2045, Chișinău, str. Studenților, 9/9, Editura „Tehnica-UTM

ISBN 978-9975-45-987-7

© Universitatea Tehnică a Moldovei, 2023
© Facultatea de Design, 2023

CUPRINS

Cuvânt de salut	10
PLENARY SESSION ȘEDINȚA ÎN PLEN	
OSTAPENKO Nataliia, KOLOSNICHENKO Maryna A conceptual approach to the development of design and ergonomic solutions for special purpose clothing	13
GHEORGHÎȚA Maria Contribuția angajamentului social și de mediu la sustenabilitatea întreprinderilor din industria ușoară și implementarea economiei circulare	17
LIUKLIAN Nadiia, PASHKEVYCH Kalyna, PROTSYK Bogdan, PETROVA Olga Smart fashion: connection between haute couture and the newest technology	23
TOPIC 1: SCIENTIFIC AND CULTURAL ASPECTS OF DESIGN SECȚIUNEA 1: ASPECTE ȘTIINȚIFICE ȘI CULTURALE ALE DESIGNULUI	
ECATERINA MĂRGHIDAN Textile printing / Art and technology	27
CAZAC Viorica, ADASCALIȚA Lucia Analiza diversității fețelor de pernă din interiorul tradițional	33
CAZAC Viorica, CÎRJA Jana Valorile protectoare ale costumului tradițional	39
TOPIC 2: TRENDS IN ART AND FASHION DESIGN DEVELOPMENT SECȚIUNEA 2: TENDINȚE ÎN DEZVOLTAREA ARTEI ȘI A DESIGNULUI VESTIMENTAR	
ROȘCA Mălina Ioana, VATRĂ Ana-Diana, AVĂDANEI Manuela Lăcrămioara, LUPOAE Florentina Stil și eleganță – produse vestimentare pentru persoane cu dizabilități locomotorii	47
CHUPRINA Natallia, SKICHKO Diana, CHZHAN Khan Design features of special clothing for archeologists	56
CHUPRINA Nataliia, TERESHCHENKO Olha, BILAS Kristina Modern urban stylistics of the military	62
DOINA-BEZUȚCHI Angela, MALCOCI Marina Studiul metamorfozelor stilului etnic	67

MANDYRADZHY Ilona, KOSTOCHKA Anna, KOLOSNICHENKO Olena, CHUPRINA Natalia Ethnic preconditions for designing contemporary eco-clothing	71
MORASKA Maryana, LOZOVENKO Svitlana, BILOTSKA Larysa The creation of a stylized dress for the enaissance era historical reconstruction	77
MYKHAILIUK Olha, TERESHCHENKO Olha, MAMLAI Anastasiia The use of the structure of natural forms in the collections of modern designers	80
MYKHAILIUK Olha, TERESHCHENKO Olha, SERKIS Victoria Analogies of the forms of marine fauna in modern clothing collections	84
VODZINSKA Oksana, PAUKOVA Valentyna Transformer dress as an example of reasonable garment consumption	88
VOROBCHUK Mariia, PASHKEVYCH Kalyna, Zhuozhao XIE, Dai WENHUI Qr-code as a source of creating decorative elements in the fashion industry	90
TOPIC 3: VISUALIZATION OF INFORMATION TECHNOLOGIES IN DESIGN	
SECȚIUNEA 3: VIZUALIZAREA TEHNOLOGIILOR INFORMAȚIONALE ÎN DESIGN	
FLOREA-BURDUJA Elena, IROVAN Marcela, INDRIE Liliana Tehnologii digitale aplicate în diversificarea produselor de îmbrăcăminte	96
ARNĂUTU Irina Jacquard fabric simulation with extra wefts in arahweave	102
PALAMARCIUC Anna Mijloace digitale de proiectare a colecțiilor vestimentare	108
TOPIC 4: PROSPECTS FOR THE DEVELOPMENT OF ENVIRONMENT DESIGN	
SECȚIUNEA 4: PERSPECTIVE PENTRU DEZVOLTAREA DESIGNULUI DE MEDIU	
DZIKEVYCH Anna, IVANOVA Margaryta, OLEINIKOVA Iryna Improving the autonomous lighting system and equipping pedestrian crossings	115
HOPERSKYI Serhii, OLEINIKOVA Iryna, LAGODA Oksana Natural materials in the ecodesign of the urban environment	121
JOMIR Constantin, ENE Alexandra-Gabriela Modelarea matematică și analiza structurală pentru materialele com pozitelor flexibile ale sistemelor modulare flotante utilizate în marea salmastră	126

LEONOVA Daryna Protection of personnel and military equipment against electromagnetic attacks by using shielding textile materials	133
JOMIR Mihaela, RADULESCU Razvan Ion, GROSU Catalin, SCARLAT Razvan Textile structures and panels assembly for limiting the effects of maritime and fluvial disasters	136
OLEYNIKOVA Iryna, LAGODA Oksana, ISAIEV Denys Testing the efficiency of the installation of basalt wind turbines with onipko rotor	142
RYSHKEVYCH Natalia Visual communication system as an important component of library interior design	148
MADAN Elena Mobilierul vienez din Moldova sfârșitul sec. al XIX-lea-mijlocul sec. al XX-lea	154
TOPIC 5: TECHNOLOGIES IN FASHION INDUSTRY SECȚIUNEA 5: TEHNOLOGII ÎN INDUSTRIA MODEI	
RIABCHYKOV Mykola, NAZARCHUK Liudmyla Creation of smart elements of clothing using magnetic textiles	163
MELNYK Liudmyla, KYZYMCHUK Olena The effect of raw materials on the stiffness of elastic knitted fabrics	168
FRUNZE Valentina, IROVAN Marcela Dezvoltarea unor produse sustenabile prin aplicarea principiilor modei circulare	172
RARU Aliona, FARÎMĂ Daniela, IROVAN Marcela Biomaterialele – o alternativă sustenabilă în domeniul industriei textile	178
OSTAPENKO Nataliia, STRUMINSKA Tetiana, RUBANKA Alla, OLIINYK Halyna, MAMCHENKO Yana Systematization of the components of ergonomic clothing for military personnel by functional characteristics	182
ARABULI Arsenii, BAJZIK Vladimir, KYZYMCHUK Olena Thermal properties of hybrid knitted fabrics for electromagnetic field shielding	184
VESELA Julia, OSTAPENKO Nataliia, RUBANKA Alla, EZHOVA Olga, LUTSKER Tetiana, Structural and technological features of the femoral platform	186

CANGAȘ Svetlana, FLOREA-BURDUJA Elena Poziționarea gulerelor cu revere în produsele de îmbrăcăminte	188
KAZHUKALO Yana, LOZOVENKO Svitlana Fusing the art of crochet and knitting for creating sustainable clothing and eco-friendly apparel	196
TKACHUK Oksana Research on hygienic properties of materials for underwear	201
HERASYMCHUK Oleksandr, TKACHUK Oksana Regarding the question of obtaining natural textile fibers from pine needles	203
MALCOCI Marina, DOINA-BEZUȚCHI Angela Elaborarea modelelor noi de încălțăminte utilizând diverse construcții	209
KAPTIUROVA Dariia, CHERTENKO Liliia, BONDAR Olexander Improvement of the shape and design of tactical footwear for the Ukrainian military	213
RIABCHYKOV Mykola, MYTSA Viktoriia Provision of new models of organization in the fashion industry with the use of electronic labels	215
SORBALĂ Iulia, MALCOCI Marina Studiul etapelor la crearea catalogului de produse de încălțăminte	221
SCRIPCENCO Angela Modern approach to forming a clothing wardrobe for school	227
SCRIPCENCO Angela The trends in the processing technologies of apparel in the luxury segment	232

TOPIC 6: ARTS OF PRINTING
SECȚIUNEA 6: ARTELE TIPARULUI

MARDARI Daniela, Viorica CAZAC Utilizarea realității augmentate în designul produselor tipografice	237
GHELBET Angela, OSOBA Alexandra Perspective de dezvoltare a designului și tehnologiilor poligrafice	244
IFTODI Daniela, ADASCALIȚA Lucia Ilie Bogdesco – artistul plastic ce implică arta caligrafică în grafica de carte	250
SÎRBU Dina, CAZAC Viorica Influența substanțelor chimice utilizate în procesele tipografice asupra sănătății angajaților	255

UNGUREANU Cristina, CAZAC Viorica Siguranță, inofensivitate și vizibilitate prin aplicațiile electroluminiscente serigrafiate cu destinație specială	263
Nicoleta VASILIEV, Viorica CAZAC Analiza impactului edițiilor de carte interactive asupra dezvoltării abilităților copiilor	268
ENESCU Daniela Stefania Studiu de caz privind realizarea materialelor publicitare cu ajutorul imprimantelor 3D	275
VASYLIEV Oleksandr Design features of online store logos	281
TOPIC 7: BUSINESS ASPECTS OF DESIGN ACTIVITIES / ENTREPRENEURIAL EDUCATION IN DESIGN	
SECȚIUNEA 7: ASPECTE DE AFACERI ALE ACTIVITĂȚILOR DE DESIGN / EDUCAȚIE ANTREPRENORIALĂ ÎN DESIGN	
GHELBET Angela, GOLAN Antonina Sistemul electronic de achiziții publice pentru echipamentul militar: realități și perspective	286
GHELBET Angela, BULGARU Valentina, GHEORGHITĂ Maria, SCRIPCENCO Angela, OBERȘT Ala Educația antreprenorială a studenților în opinia angajatorilor din domeniul textile-pielărie	292
TĂLĂMBUȚĂ Angelina, MATEI Livia Condițiile de protecție a unei opere de creație intelectuală	301
TOPIC 8: PEDAGOGICAL ASPECTS IN ENGINEERING TRAINING	
SECȚIUNEA 8: ASPECTE PEDAGOGICE ÎN PREGĂTIREA INGINEREASCĂ	
Rodion CIUPERCĂ, Vasilina POPOV Oportunități de dezvoltare a competențelor pedagogice pentru cadrele didactice din învățământul vocațional	308
GOROSHKOVA Valentina Formation of value and communicative competence of students of secondary professional education and their development in the process of extra-educational activities	314
TRONCIU Sergiu Importanța concursurilor pentru pregătirea studenților la specialitățile creative	319
Mulțumiri și precizări	324

IMPROVING THE AUTONOMOUS LIGHTING SYSTEM AND EQUIPPING PEDESTRIAN CROSSINGS

DZIKEVYCH Anna¹, IVANOVA Margaryta², OLENIKOVA Iryna³

¹⁻³ Kyiv National University of Technologies and Design, Kyiv, Ukraine

*Corresponding author: DZIKEVYCH Anna: e-mail adzikevich22@gmail.com

Abstract. *The aim of this study is to improve the developed autonomous energy-efficient lighting system for a pedestrian crossing. The implementation of new elements and solutions based on the latest research and materials has been justified. Increasing efficiency and functional capabilities is relevant for the energy crisis situation in Ukraine. The methodology of this work involves the use of a new ecological material to increase the wear resistance of the light-emitting coating. The modernization of the solar panel design to improve energy supply efficiency. The introduction of a structural element - a charging module - to expand the functionality of the lighting system. Due to significant damage to Ukraine's energy infrastructure, pedestrians have found themselves in a high-risk accident zone, and the proposed modernization is largely aimed at creating safe conditions for them. The creation of a three-component mixture for the road surface and painting will allow obtaining durable and reliable road marking. The mixture consists of paint, luminescent material, and "basalt scaly." The 3D model of this lighting system has been improved with changes in the design of solar panels and the addition of charging elements. The conclusion justifies the expediency of the changes made.*

Key words: *luminophore, basalt fiber, solar panels, charging elements, road marking, environmental design.*

1. INTRODUCTION

The rapid development in the field of researching new materials and technologies has made it possible to comprehensively improve existing components and introduce new ones into previously created street lighting projects. Since the situation in Ukraine remains quite crisis-ridden, there is a need to create autonomous lighting systems with high energy efficiency. An analysis of the situation has demonstrated the need to adapt the existing complex by expanding its functionality, which will ensure greater stability in the country's energy sector.

Previously, an autonomous pedestrian crossing lighting system was developed that used components such as solar panels, ultraviolet light sources, and luminescent coatings [1]. Due to the development of the proposed technologies, there is a need to improve this project. Changes are proposed to be made to the structural components, which will ensure greater efficiency and durability and make the system more innovative.

2. EXPERIMENTAL OR METHODOLOGICAL PART

Earlier it was suggested to add only a luminescent component to the lacquer-paint coating for pedestrian crossings. In Ukraine, luminescent materials, as an innovative additive, have been widely used on pedestrian crossings for several years to improve road safety and reduce accident rates. Today, luminescent materials are used to mark

pedestrian crossings in many cities of Ukraine, including Kyiv, Odesa, Kharkiv, Lviv, and others.

Luminescent materials have the property of glowing in the dark, which makes them more noticeable in conditions of poor visibility. Additionally, luminescent materials are environmentally friendly since they do not contain lead or other harmful materials. To select the optimal luminescent material, it is important to consider the local operating conditions, such as climate and traffic intensity [2].

Pedestrian crossings are an essential part of urban infrastructure that ensures pedestrian safety on roads. The use of luminescent paint with basalt components is one of the methods to increase safety at pedestrian crossings.

The natural substance known as basalt additive is obtained from basalt rock. Modern composites with the addition of basalt fiber are often used to reinforce road surfaces. This provides long-term road operation without additional reconstruction due to the strength and resistance of such materials to mechanical and chemical damage. An analysis has shown that basalt fibers have the best cost-to-quality ratio among other inorganic fibers [3]. Any form of road surface, including concrete and asphalt, can be colored using luminescent paint based on basalt to create bright and visible road markings.

As a significant percentage of waste is generated during the production of basalt thread, there is a need to consider the rational use of these waste materials. Grinding produces "basalt flakes" that can be used as an additive for other materials.

Luminescent paint based on basalt is applied using specialized tools to create pedestrian crossing markings. To ensure optimal adhesion, the surface must be thoroughly cleaned and prepared before applying the paint.

The application of basalt-based paint on pedestrian crossings is effective due to its numerous advantages. It has light-reflective properties that enhance the visibility of road markings at night and in poor lighting conditions. Traditional road marking paints are less durable than basalt-based paint due to its high resistance to abrasion and ultraviolet radiation.

The advantages of using basalt-based luminescent coatings for pedestrian crossings are their high effectiveness in low visibility conditions, which is particularly important at night, during rain, or in fog. The light-reflective properties of basalt-based paint enhance the visibility of road markings for drivers, reducing the likelihood of accidents involving pedestrians at pedestrian crossings.

The basalt component in luminescent coatings for pedestrian crossings has the following advantages:

- Durability: the use of basalt prolongs the service life of pedestrian crossings, reducing maintenance and repair costs.
- Eco-friendliness: the basalt additive is safe for the environment as it is made of natural materials and does not contain toxic chemicals.
- Resistance to environmental influences: the basalt additive is not susceptible to corrosion, does not deteriorate under ultraviolet radiation, and does not change its characteristics at high temperatures [4].

The rational use of basalt additive in pedestrian crossings luminophore lighting is explained by its functional properties, which include:

- Improved illumination of the crossing.
- Slip resistance: The basalt additive enhances the adhesion between the

surface and pedestrians' footwear, reducing the likelihood of falls and accidents.

- Reduced noise level: Basalt additive can reduce road noise from passing vehicles, making the area more comfortable for local residents and pedestrians.

Environmental resistance: Basalt component has a high level of resistance to environmental influences, allowing it to maintain its qualities over an extended period.

Manufacturers offer ready-to-use luminophore paints based on basalt. Typically, such paint consists of a basalt component, an acrylate or epoxy resin-based lacquer, and luminophore (phosphorescent pigment).

In general, adding a basalt component to the surface of luminophore pedestrian crossings is an innovative and effective way to enhance road safety. It can be used on various types of roads or pedestrian zones and has several advantages over other types of surfaces. Although luminophore surfaces with a basalt element have not yet been encountered in Ukraine, it is quite likely that they will begin to appear soon due to initiatives aimed at enhancing road safety.

Thus, there are numerous opportunities for the dissemination and utilization of basalt additives in the luminophore coating of pedestrian crossings in different cities and countries. In the previous design of solar panels, the focus was on the ergonomics and aesthetics of the placement. However, such placement of solar panels, oriented in all four directions, led to uneven load distribution on each panel and insufficient efficiency of their individual parts.

In the proposed new placement variant, greater efficiency has been achieved through optimal load distribution among all panels. The number of panels has been reduced to three, as depicted in Fig. 1.




Figure 1: Schematic image of the system (top view)

Based on research on determining the optimal angle for the placement of solar panels [5], the battery system design has been upgraded. Factors such as atmospheric

phenomena, air temperature, solar energy generation potential, the need for solar panel cleaning, and geographic location were taken into account. The optimal angle for installing solar panels in Ukraine, which has an average latitude, was found to be between 30 and 45 degrees from the horizon. For Kyiv specifically, the optimal angle was found to be 40 degrees [6].

However, in order to achieve optimal efficiency and productivity, solar panels on lampposts should be positioned at an angle according to the trajectory of the sun, with an orientation towards the south.

In addition to lighting, additional opportunities have been proposed for the more functional use of the generated energy. Since the previously selected ultraviolet sources are low-powered, all the energy may not be spent only on lighting, and its remains will be redistributed to the function of charging external devices. Power modules, also known as charging stations, are devices that allow various gadgets, such as smartphones, tablets, laptops, and other electronic devices, to be charged. They are currently widely installed in public places, such as parks, squares, shopping centers, airports, train stations, and other places where people often gather.

Additionally, charging modules can be connected to street lighting systems, enabling them to use energy generated by the structure. This method of powering charging stations is efficient and environmentally friendly, reducing electricity costs.

To improve pedestrian crossing lighting systems, it is proposed to use power modules to charge devices through built-in USB ports. This system consists of the following components:

- 1) Solar panels are semiconductor-based plates that efficiently capture solar energy due to their strategic placement.
- 2) Battery - a device that stores electrical energy generated by solar panels during the day. Batteries are usually used to provide electricity at night or during periods of insufficient solar activity.
- 3) Charge controller, which regulates the flow of electrons from solar panels to the battery. The charge controller prevents overcharging of the battery and ensures its maximum operating life.
- 4) Inverter - a device that converts direct current from the battery to alternating current, which can be used to charge devices.

When the sun shines, solar panels collect solar energy and convert it into electrical energy, which is stored in a battery with the help of a charge controller. So, when the user connects their device to the system, the inverter converts the stored energy from the battery to alternating current [7].

The proposed solution for using power modules is a relevant and useful step towards stabilizing the energy situation in Ukraine or during unforeseen situations.

3. RESULTS

Due to changes in the design elements of the system, its 3D model has been improved. The visualization was carried out using modern software, namely the Blender program. During the modernization of the project, the energy and functional components were significantly improved, and the design change did not worsen the aesthetic appearance of the complex.




Figure 2: General view of the pedestrian crossing lighting system

4. DISCUSSION

This design is quite advanced, but there is room for further development. This is because the optimal tilt angle for different regions of Ukraine may vary, and the panel structure can be made movable, but this may compromise the strength of the structure, as moving parts have less wear resistance.

5. CONCLUSIONS

An autonomous lighting system for pedestrian crossings is an effective solution for use in Ukraine. Its advantages are primarily due to its energy independence, as the system does not require connection to the general power grid thanks to the use of solar panels. Such a solution is particularly important in conditions of unstable energy supply.

Rational use of excess electricity by connecting additional elements in the form of power modules for charging gadgets will be an economically advantageous solution. The issue of environmental preservation will be addressed not only by using environmentally friendly sources of energy but also by adding absolutely safe "basalt flakes" to road marking paint.

The autonomous system is also characterized by durability as it is composed of robust elements such as solar panels and road surfacing. This system creates a safe environment for all road users, not only through general high-quality lighting but also through light-emitting luminescent elements.

The proposed innovative solutions of the system provide universality and attractiveness for a wide range of society.

6. REFERENCES

1. Dzikevych, A. V., Ivanova, M. S., Oleinikova, I. V. The development of an autonomous energy-efficient pedestrian crossing lighting complex. In: *Technologies and engineering*, 2022, 6(11), pp. 9-19. ISSN 2786-538X
2. Yanqiu Bi, Jianzhong Pei, Zixuan Chen, Liu Zhang, Rui Li & Dongliang Hu. Preparation and characterization of luminescent road-marking paint. In: *International Journal of Pavement Research and Technology*, 2021, 14, pp. 252–258.
3. KRAYUSHKINA, K. Use of basalt materials in constructions of roads and airports. In: Krayushkina, K., *Architecture, everyday life, design in the open space: a collective monograph*. Riga, Latvia: "Baltija Publishing", 2021, pp..204-235. <https://er.nau.edu.ua/handle/NAU/52752>
4. Palmieri, A., Matthys, S., and Tierens, M. - Basalt fibres: Mechanical properties and applications for concrete structures. Taylor and Francis Group, 2009.
5. Kolomzarov, Yu., Kostylov, V., Sorokin, V., Nikolayenko, Yu., Pekur, I., Kornaga, V., Korkishko, R. Environmental issues of lighting and prospects of energy-saving led lighting systems with combined power supply. In: *Technology and design in electronic equipment*, 2020, 1-2, pp. 3-9. ISSN 2309-9992
6. Pekur, I., Sorokin, V., Pekur, D. Solar batteries as an element of design of modern energy efficient buildings. In: *Optoelectron. Semicond. Tech*, 2021, 56, pp. 39-49. <https://doi.org/10.15407/iopt.2021.56.039>
7. Stavinskiy, A., Batcurovskaya, I. Alignment of electric power parameters of sleeper panels for autonomous power supply system. kerivnik A. A. Stavinsky. Mykolaiv: MNAU, 2022. <https://dSPACE.mnau.edu.ua/jspui/handle/123456789/12453>